

[CD34+ gene expression profiling of individual children with very severe aplastic anemia indicates a pathogenic role of integrin receptors and the proapoptotic death ligand TRAIL.](#)

Fischer U, Ruckert C, Hubner B, Eckermann O, Binder V, Bakchoul T, Schuster FR, Merk S, Klein H-U, Führer M, Dugas M, Borkhardt A.

Haematologica Feb 7. Epub ahead of print.

[Evaluation of apoptosis induced by nanoparticles and fine particles in RAW 264.7 macrophages: Facts and artefacts.](#)

Wilhelmi V, Fischer U, van Berlo D, Schulze-Osthoff K, Schins RP, Albrecht C (2012).

Toxicol. in Vitro 26:323-334.

[New insights into the molecular pathology of radiation-induced pneumopathy.](#)

Cappuccini F, Eldh T, Bruder D, Gereke M, Jastrow H, Schulze-Osthoff K, Fischer U, Köhler D, Stuschke M, Jendrossek V (2011).

Radiother. Oncol. 101: 86-92

[Natalizumab and impedance of homing of CD34+ hematopoietic progenitors.](#)

Saure C, Warnke C, Zohren F, Schroeder T, Bruns I, Cadeddu RP, Weigelt C, Fischer U, Kobbe G, Hartung H-P, Adams O, Kieseier BC, Haas R (2011).

Arch. Neurol., 68: 1428-1431.

[Inhibition of the ER Ca²⁺ pump forces multidrug-resistant cells deficient in Bak and Bax into necrosis.](#)

Janssen K, Horn S., Niemann T, Daniel PT, Schulze-Osthoff K, Fischer U (2009).

J. Cell Sci., 122: 4481-4491

[Differential effects of nucleostemin suppression on cell cycle arrest and apoptosis in the bladder cancer cell lines 5637 and SW1710.](#)

Nikpour P, Mowla SJ, Jafarnejad SM, Fischer U, Schulz WA (2009).

Cell Prolif., 42: 762-769

[Unscheduled Akt-triggered activation of CDK2 as a key effector mechanism of apoptin's anticancer toxicity.](#)

Maddika S, Panigrahi S, Wiechec E, Wesselborg S, Fischer U, Schulze-Osthoff K, Los M (2009).

Mol. Cell Biol. 29: 1235-1248

[Complete downmodulation of P-selectin glycoprotein ligand \(PSGL-1\) in monocytes undergoing apoptosis.](#)

Stampfuss J-J, Censarek P, Fischer JW, Kaber G, Rauch BH, Grosser T, Fischer U, Schulze-Osthoff K, Schrör K, Weber A-A (2008).

Arteriosclerosis, Thrombosis, and Vascular Biology 28: 1375-1378

[Interaction with PI3 kinase contributes to the cytotoxic activity of Apoptin.](#)

Maddika S, Wiechec E, Ande SR, Poon IK, Fischer U, Wesselborg S, Jans DA, Schulze-Osthoff K, Los M (2008).

Oncogene 27: 3060-3065

[Apaf-1 and caspase-9 deficiency prevents apoptosis in a Bax-controlled pathway and promotes clonogenic survival during taxol treatment.](#)

Janssen K, Pohlmann S, Janicke R, Schulze-Osthoff K, Fischer U* (2007).

Blood 110: 3662-3672

[Increased hepatotoxicity of tumor necrosis factor-related apoptosis-inducing ligand in diseased human liver.](#)

Volkman X, Fischer U, Bahr MJ, Ott M, Lehner F, MacFarlane M, Cohen GM, Manns MP, Schulze-Osthoff K, Bantel H (2007).

Hepatology 46: 1498-1508

[MRP8/MRP14 impairs endothelial integrity and induces a caspase-dependent and -independent cell death program.](#)

Viemann D, Barczyk K, Vogl T, Fischer U, Sunderkötter C, Schulze-Osthoff K, Roth J (2007).

Blood 109: 2453-2460

[Apoptin is modified by small ubiquitin-related modifier and targeted to the promyelocytic leukemia protein nuclear bodies.](#)

Janssen K, Hofmann TG, Jans DA, Hay RT, Schulze-Osthoff K, Fischer U (2007).
Oncogene 26: 1557-1566

[Staphylococcus aureus induces caspase-independent cell death in human peritoneal mesothelial cells.](#)

Haslinger-Löffler B, Wagner B, Bruck M, Strangfeld K, Grundmeier M, Fischer U, Volker W, Peters G, Schulze-Osthoff K, Sinha B (2006).
Kidney Int. 70: 1089-1098

[Unique and overlapping substrate specificities of caspase-10 and caspase-8.](#)

Fischer U, Stroh C, Schulze-Osthoff K (2005).
Oncogene 25: 152-159

[The tyrosine kinase Lck is a positive regulator of the mitochondrial apoptosis pathway by controlling Bak expression.](#)

Samraj AK, Stroh C, Fischer U, Schulze-Osthoff K (2005).
Oncogene 25: 186-197

[Multiple virulence factors are required for Staphylococcus aureus-induced apoptosis in endothelial cells.](#)

Haslinger-Loeffler B, Kahl BC, Grundmeier M, Strangfeld K, Wagner B, Fischer U, Cheung AL, Peters G, Schulze-Osthoff K, Sinha B (2005).
Cell. Microbiol. 7: 1087-1097

[Caspase-10 sensitizes breast carcinoma cells to TRAIL-induced but not tumor necrosis factor-induced apoptosis in a caspase-3-dependent manner.](#)

Engels IH, Totzke G, Fischer U, Schulze-Osthoff K, Janicke RU (2005).
Mol. Cell. Biol. 25: 2808-2818

[Mechanisms of thymidine kinase/ganciclovir and cytosine deaminase/5-fluorocytosine suicide gene therapy-induced cell death in glioma cells.](#)

Fischer U, Steffens S, Frank S, Rainov NG, Schulze-Osthoff K, Kramm CM (2005).
Oncogene 24: 1231-43

[A neuroblastoma-selective suicide gene therapy approach using the tyrosine hydroxylase promoter.](#)

Steffens S, Sandquist A, Frank S, Fischer U, Lex C, Rainov NG, Kramm CM (2004).
Pediatr. Res. 6: 268-277

[Stable transgenic expression of IL-2 and HSV1-tk by single and fusion tumor cell lines bearing EWS/FLI-1 chimeric genes.](#)

Staege MS, Gorelov V, Bulankin A, Fischer U, Dumon K, Hohndorf L, Hattenhorst U, Kramm CM, Burdach S (2003).
Pediatr. Hematol. Oncol. 20: 119-140

[Systemic activation of the immune system during ganciclovir treatment following intratumoral herpes simplex virus type 1 thymidine kinase gene transfer in an adolescent ependymoma patient.](#)

Kramm CM, Korholz D, Rainov NG, Niehues T, Fischer U, Steffens S, Frank S, Banning U, Horneff G, Schroten H, Burdach S (2002).
Neuropediatrics 33: 6-9

[Differential cytotoxicity and bystander effect of the rabbit cytochrome P450 4B1 enzyme gene by two different prodrugs: Implications for pharmacogene therapy.](#)

Frank S, Steffens S, Fischer U, Tlolk A, Rainov NG, Kramm CM (2002).
Cancer Gene Ther. 9: 178-188

[EGFP fusion proteins of HSV-TK and cytochrome P450 4B1: Applications for pharmacogene therapy.](#)
Steffens S, Frank S, Fischer U, Heuser C, Meyer KL, Dobberstein KU, Rainov NG, Kramm CM (2000).
Cancer Gene Ther. 7: 806-812

[Detection of p53 and MDM2 Protein Expression in Head and Neck Carcinogenesis.](#)

Girod SC, Cesarz D, Fischer U, Krueger GRF (1995).
Anticancer Res. 15: 1453-1458

[p53 Mutationen bei Leukoplakien, Lichen planus und Karzinomen der Mundschleimhaut.](#)

Girod SC, Fischer U, Knufemann R, Kraemer C, Kruger GRF (1994).
Dt. Zeitschrift Mund-, Kiefer- und Gesichtschirurgie, später: Mund-, Kiefer- und Gesichtschirurgie (Berlin) 18: 250-253

[Immunoglobulin heavy and light chain gene sequences of a human CD5 positive immunocytoma and sequences of four novel VHIII germline genes.](#)

Kuppers R, Fischer U, Rajewsky K, Gause A (1992).
Immunol. Lett. 34: 57-62